

Supplementary materials

Gene symbol	Nucleotide change	Amino acid change	Clinical phenotype	Ref
<i>CRYAA</i>	c.35G>T	p. R12L	lens protein gene	[1]
<i>CRYAB</i>	c.32G>A	p. R11H	lens protein gene	[2]
<i>CRYBA1</i>	c.279-281delG AG	p.ΔG91	lens protein gene	[3]
<i>CRYBA4</i>	c.206T>C	p. L69P	lens protein gene	[4]
<i>CRYBB1</i>	c.658G>T	p. G220X	lens protein gene	[5]
<i>CRYBB2</i>	c.563G>A	p. R188H	lens protein gene	[6]
<i>CRYBB3</i>	c.314G>A	p. R105Q	lens protein gene	[7]
<i>CRYGA</i>	c.196T>C	p. Y66H	lens protein gene	[8]
<i>CRYGB</i>	c.449G>T	p. G150V	lens protein gene	[8]
<i>CRYGC</i>	c.385G>T	p. G129C	lens protein gene	[9]
<i>CRYGD</i>	c.70C>A	p. P24T	lens protein gene	[10]
<i>CRYGS</i>	c.53G>T	:p.G18V	lens protein gene	[11]
<i>GJA3</i>	c.188A>G	p.N63S	membrane protein gene	[12]
<i>GJA8</i>	c.262C>T	p.P88S	membrane protein gene	[13]
<i>BFSP1</i>	c736-1384_c.9 57-66del	T246fsX7	cytoskeleton protein gene	[14]
<i>BFSP2</i>	c.1091G>A	p.G364D	cytoskeleton protein gene	[15]
<i>PAX6</i>	c.307C>T	p.R103X	developmental regulatory protein gen	[16]
<i>PITX3</i>	c.38G>A	p.S13N	developmental regulatory protein gen	[17]
<i>HSF4</i>	c.524G>C	p.R175P	developmental regulatory protein gen	[18]
<i>MAF</i>	c.863G>C	p.R288P	developmental regulatory protein gen	[19]
<i>CHMP4B</i>	c.481G>A	p. E161K	chromatin modified protein gene	[20]
<i>EPHA2</i>	c.2842G>T	p. G948W	tyrosine kinase receptor gene	[21]
<i>COL4A1</i>	c.2345G>C	p. G782A	syndrome-related genes	[22]
<i>FTL</i>	c.160G>A	p.E54K	developmental regulatory protein gen	[23]

GALK1	c.416T>C	p. L139P	syndrome-related genes	[24]
FYCO1	c.808C>T	p. Q270X	chromatin modified protein gene	[25]
NHS	c.2739del	p(F913Lfs*9)	syndrome-related genes	[25]
PEX11B	c.235C>T	p. R79T	syndrome-related genes	[26]
BCOR	c.4706dup	p. (G1570Rfs*7)	syndrome-related genes	[25]
TDRD7	c.688_689insA	P. Y230X	developmental regulatory protein gen	[27]
LSS	c.1741T>C	W581R	syndrome-related genes	[28]
IARS2	c.607G>C	p. G203R	syndrome-related genes	[25]
PXDN	c.2638C>T	p. R880C	syndrome-related genes	[29]
P3H2	c.13C>T	p.Q5X	developmental regulatory protein gen	[30]
FOXE3	c.959G>C	p.X320S	developmental regulatory protein gen	[31]
MYH9	c.3493C>T	p. R1165C	syndrome-related genes	[32]
OCRL	c.1964A>T	p. D655V	syndrome-related genes	[33]
GCNT2	c.1091T>C	p.F364S	syndrome-related genes	[34]
LEMD2	c.38T>G	p.L13R	syndrome-related genes	[35]
FAM126A	c.169T>C	p.C57R	syndrome-related genes	[36]
AGK	c.421G>T	p.E141X	syndrome-related genes	[37]
VIM	c.596G>A	p.E151K	syndrome-related genes	[38]
MIP	c.572C>G	p. P191R	membrane protein gene	[39]
CHMP4B	c.170A>G	p.H57R	syndrome-related genes	[40]
LIM2	c.461G>A	p. G154E	membrane protein gene	[41]

Table S1. Reported 45 genes of non-syndromic congenital cataract with Mendelian inheritance. Genes with widely reported mutations that are associated congenital cataract, were listed with *Gene symbol, Nucleotide change, Amino acid change, Clinical phenotype, reference*.

Reference

1. Litt M, Kramer P, LaMorticella DM, Murphrey W, Lovrien EW, Weleber RG. Autosomal dominant congenital cataract associated with a missense mutation in the human alpha crystallin gene CRYAA. *Hum Mol Genet* 1998;7(3):471-4
2. Berry V, Francis P, Reddy MA, et al. Alpha-B crystallin gene (CRYAB) mutation causes dominant congenital posterior polar cataract in humans. *Am J Hum Genet* 2001;69(5):1141-5 doi: 10.1086/324158[published Online First: Epub Date]].
3. Yang G, Zhai X, Zhao J. A recurrent mutation in CRYBA1 is associated with an autosomal dominant congenital nuclear cataract disease in a Chinese family. *Mol Vis* 2011;17:1559-63
4. Billingsley G, Santhiya ST, Paterson AD, et al. CRYBA4, a novel human cataract gene, is also involved in microphthalmia. *Am J Hum Genet* 2006;79(4):702-9 doi: 10.1086/507712[published Online First: Epub Date]].
5. Mackay DS, Boskowska OB, Knopf HL, Lampi KJ, Shiels A. A nonsense mutation in CRYBB1 associated with autosomal dominant cataract linked to human chromosome 22q. *Am J Hum Genet* 2002;71(5):1216-21 doi: 10.1086/344212[published Online First: Epub Date]].
6. Gill D, Klose R, Munier FL, et al. Genetic heterogeneity of the Coppock-like cataract: a mutation in CRYBB2 on chromosome 22q11.2. *Invest Ophthalmol Vis Sci* 2000;41(1):159-65
7. Li D, Wang S, Ye H, et al. Distribution of gene mutations in sporadic congenital cataract in a Han Chinese population. *Mol Vis* 2016;22:589-98
8. Mehra S, Kapur S, Vasavada AR. Polymorphisms of the gamma crystallin A and B genes among Indian patients with pediatric cataract. *J Postgrad Med* 2011;57(3):201-5 doi: 10.4103/0022-3859.85205[published Online First: Epub Date]].
9. Li XQ, Cai HC, Zhou SY, et al. A novel mutation impairing the tertiary structure and stability of gammaC-crystallin (CRYGC) leads to cataract formation in humans and zebrafish lens. *Hum Mutat* 2012;33(2):391-401 doi: 10.1002/humu.21648[published Online First: Epub Date]].
10. Gu F, Li R, Ma XX, Shi LS, Huang SZ, Ma X. A missense mutation in the gammaD-crystallin gene CRYGD associated with autosomal dominant congenital cataract in a Chinese family. *Mol Vis* 2006;12:26-31
11. Sun H, Ma Z, Li Y, et al. Gamma-S crystallin gene (CRYGS) mutation causes dominant progressive cortical cataract in humans. *J Med Genet* 2005;42(9):706-10 doi: 10.1136/jmg.2004.028274[published Online First: Epub Date]].
12. Mackay D, Ionides A, Kibar Z, et al. Connexin46 mutations in autosomal dominant congenital cataract. *Am J Hum Genet* 1999;64(5):1357-64 doi: 10.1086/302383[published Online First: Epub Date]].
13. Shiels A, Mackay D, Ionides A, Berry V, Moore A, Bhattacharya S. A missense mutation in the

- human connexin50 gene (GJA8) underlies autosomal dominant "zonular pulverulent" cataract, on chromosome 1q. *Am J Hum Genet* 1998;62(3):526-32 doi: 10.1086/301762[published Online First: Epub Date] |.
14. Ramachandran RD, Perumalsamy V, Hejtmancik JF. Autosomal recessive juvenile onset cataract associated with mutation in BFSP1. *Hum Genet* 2007;121(3-4):475-82 doi: 10.1007/s00439-006-0319-6[published Online First: Epub Date] |.
 15. Ma X, Li FF, Wang SZ, Gao C, Zhang M, Zhu SQ. A new mutation in BFSP2 (G1091A) causes autosomal dominant congenital lamellar cataracts. *Mol Vis* 2008;14:1906-11
 16. Dansault A, David G, Schwartz C, et al. Three new PAX6 mutations including one causing an unusual ophthalmic phenotype associated with neurodevelopmental abnormalities. *Mol Vis* 2007;13:511-23
 17. Semina EV, Ferrell RE, Mintz-Hittner HA, et al. A novel homeobox gene PITX3 is mutated in families with autosomal-dominant cataracts and ASMD. *Nat Genet* 1998;19(2):167-70 doi: 10.1038/527[published Online First: Epub Date] |.
 18. Forshew T, Johnson CA, Khaliq S, et al. Locus heterogeneity in autosomal recessive congenital cataracts: linkage to 9q and germline HSF4 mutations. *Hum Genet* 2005;117(5):452-9 doi: 10.1007/s00439-005-1309-9[published Online First: Epub Date] |.
 19. Jamieson RV, Perveen R, Kerr B, et al. Domain disruption and mutation of the bZIP transcription factor, MAF, associated with cataract, ocular anterior segment dysgenesis and coloboma. *Hum Mol Genet* 2002;11(1):33-42
 20. Shiels A, Bennett TM, Knopf HL, et al. CHMP4B, a novel gene for autosomal dominant cataracts linked to chromosome 20q. *Am J Hum Genet* 2007;81(3):596-606 doi: 10.1086/519980[published Online First: Epub Date] |.
 21. Shiels A, Bennett TM, Knopf HL, et al. The EPHA2 gene is associated with cataracts linked to chromosome 1p. *Mol Vis* 2008;14:2042-55
 22. Xia XY, Li N, Cao X, et al. A novel COL4A1 gene mutation results in autosomal dominant non-syndromic congenital cataract in a Chinese family. *BMC Med Genet* 2014;15:97 doi: 10.1186/s12881-014-0097-2[published Online First: Epub Date] |.
 23. Balta B, Erdogan M, Kiraz A, Korkmaz S, Agadai A. Frequent Mutation in the FTL Gene Causing Hyperferritinemia Cataract Syndrome in Turkish Population Is c.-160A>G. *Turk J Haematol* 2019;36(1):25-28 doi: 10.4274/tjh.galenos.2018.2018.0194[published Online First: Epub Date] |.
 24. Churchill A, Graw J. Clinical and experimental advances in congenital and paediatric cataracts. *Philos Trans R Soc Lond B Biol Sci* 2011;366(1568):1234-49 doi: 10.1098/rstb.2010.0227[published Online First: Epub Date] |.
 25. Li J, Leng Y, Han S, et al. Clinical and genetic characteristics of Chinese patients with familial or sporadic pediatric cataract. *Orphanet J Rare Dis* 2018;13(1):94 doi: 10.1186/s13023-018-0828-0[published Online First: Epub Date] |.
 26. Taylor RL, Handley MT, Waller S, et al. Novel PEX11B Mutations Extend the Peroxisome Biogenesis Disorder 14B Phenotypic Spectrum and Underscore Congenital Cataract as an Early Feature. *Invest Ophthalmol Vis Sci* 2017;58(1):594-603 doi: 10.1167/iovs.16-21026[published Online First: Epub Date] |.
 27. Tan YQ, Tu C, Meng L, et al. Loss-of-function mutations in TDRD7 lead to a rare novel syndrome combining congenital cataract and nonobstructive azoospermia in humans. *Genet Med* 2017

- doi: 10.1038/gim.2017.130[published Online First: Epub Date]].
- 28. Zhao L, Chen XJ, Zhu J, et al. Lanosterol reverses protein aggregation in cataracts. *Nature* 2015;**523**(7562):607-11 doi: 10.1038/nature14650[published Online First: Epub Date]].
 - 29. Khan K, Rudkin A, Parry DA, et al. Homozygous mutations in PXDN cause congenital cataract, corneal opacity, and developmental glaucoma. *Am J Hum Genet* 2011;**89**(3):464-73 doi: 10.1016/j.ajhg.2011.08.005[published Online First: Epub Date]].
 - 30. Guo H, Tong P, Peng Y, et al. Homozygous loss-of-function mutation of the LEPREL1 gene causes severe non-syndromic high myopia with early-onset cataract. *Clin Genet* 2014;**86**(6):575-9 doi: 10.1111/cge.12309[published Online First: Epub Date]].
 - 31. Bremond-Gignac D, Bitoun P, Reis LM, Copin H, Murray JC, Semina EV. Identification of dominant FOXE3 and PAX6 mutations in patients with congenital cataract and aniridia. *Mol Vis* 2010;**16**:1705-11
 - 32. Economou M, Batzios SP, Pecci A, et al. MYH9-related disorders: report on a patient of Greek origin presenting with macroscopic hematuria and presenile cataract, caused by an R1165C mutation. *J Pediatr Hematol Oncol* 2012;**34**(6):412-5 doi: 10.1097/MPH.0b013e318257a64b[published Online First: Epub Date]].
 - 33. Shalaby AK, Emery-Billcliff P, Baralle D, et al. Identification and functional analysis of a novel oculocerebrorenal syndrome of Lowe (OCRL) gene variant in two pedigrees with varying phenotypes including isolated congenital cataract. *Mol Vis* 2018;**24**:847-52
 - 34. Javadiyan S, Craig JE, Souzeau E, et al. High-Throughput Genetic Screening of 51 Pediatric Cataract Genes Identifies Causative Mutations in Inherited Pediatric Cataract in South Eastern Australia. *G3 (Bethesda)* 2017;**7**(10):3257-68 doi: 10.1534/g3.117.300109[published Online First: Epub Date]].
 - 35. Boone PM, Yuan B, Gu S, et al. Hutterite-type cataract maps to chromosome 6p21.32-p21.31, cosegregates with a homozygous mutation in LEMD2, and is associated with sudden cardiac death. *Mol Genet Genomic Med* 2016;**4**(1):77-94 doi: 10.1002/mgg3.181[published Online First: Epub Date]].
 - 36. Traverso M, Assereto S, Gazzero E, et al. Novel FAM126A mutations in hypomyelination and congenital cataract disease. *Biochem Biophys Res Commun* 2013;**439**(3):369-72 doi: 10.1016/j.bbrc.2013.08.077[published Online First: Epub Date]].
 - 37. Aldahmesh MA, Khan AO, Mohamed JY, Alghamdi MH, Alkuraya FS. Identification of a truncation mutation of acylglycerol kinase (AGK) gene in a novel autosomal recessive cataract locus. *Hum Mutat* 2012;**33**(6):960-2 doi: 10.1002/humu.22071[published Online First: Epub Date]].
 - 38. Muller M, Bhattacharya SS, Moore T, et al. Dominant cataract formation in association with a vimentin assembly disrupting mutation. *Hum Mol Genet* 2009;**18**(6):1052-7 doi: 10.1093/hmg/ddn440[published Online First: Epub Date]].
 - 39. Yuan C, Han T, Su P, et al. A novel MIP mutation in a Chinese family with congenital cataract. *Ophthalmic Genet* 2018;**39**(4):473-76 doi: 10.1080/13816810.2018.1484930[published Online First: Epub Date]].
 - 40. Zhang XH, Da Wang J, Jia HY, et al. Mutation profiles of congenital cataract genes in 21 northern Chinese families. *Mol Vis* 2018;**24**:471-77
 - 41. Ponnam SP, Ramesha K, Tejwani S, Matalia J, Kannabiran C. A missense mutation in LIM2 causes autosomal recessive congenital cataract. *Mol Vis* 2008;**14**:1204-8